

noraplan® signa



# noraplan® signa

Rubber flooring with a changing base colour consisting of three harmoniously matched colour components and characteristic granule inclusions, for heavy traffic areas.

#### noraplan signa · design with smooth surface

**4**8

Art. 1462

~1.22 m x 15.0 m

Art. 2462

□ ~610 mm x 610 mm

 $15 \square = 5.58 \text{ m}^2 \text{ in one carton}$ 

nora® profile connection dimension: A + U

Slip resistance R9

₹~2.0 mm

Art. 1463

~1.22 m x 12.0 m

Art. 2463

 $\square$  ~610 mm x 610 mm

10  $\square$  = 3.72 m<sup>2</sup> in one carton

₹~3.0 mm

nora profile connection dimension: D + U Slip resistance R9

Many colours can also be delivered as:

Special flooring noraplan signa ed electrostatically dissipative

M Special flooring noraplan signa acoustic footfall-sound-absorbing 20 dB

Also available as noraplan signa nTx

Additional information on nora® nTx can be found at ntx.nora.com.

Special colours are available on request.

### noraplan signa · design with reflection-breaking surface



Art. 1690

~1.22 m x 15.0 m

Art. 2690


□ ~610 mm x 610 mm

 $15 \square = 5.58 \text{ m}^2 \text{ in one carton}$ 


₹~2.0 mm

nora profile connection dimension: A + U Slip resistant R10









## Cover picture: © nora systems GmbH

Errors as well as misprints and changes reserved. No guarantee is given for the accuracy and completeness of the information. The product images in this document may differ from the original. This document is not a contractual offer and only serves to provide non-binding information.

The nora brand and all other registered trademarks used in this document are registered to the company, the country or to a company associated with nora systems GmbH. Other labels used here are trademarks of their respective owners.

Contact details, local branches or authorised retailers, as well as other information can be found at www.nora.com.

## Publisher

nora systems GmbH Höhnerweg 2-4 69469 Weinheim | Germany www.nora.com